





Ergebnis: **394** (410.7)  
 Serien: 96 99 100 99  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 340 (8), 307 (6), 298 (35)  
 beste Teiler 33.5 (28.) 47.0 (21.) 59.8 (27.)  
 Trefferlage 0.15 mm links, 0.05 mm hoch  
 Streuwert 1.33, horizontal: 1.60, vertikal: 1.00




Serie 1:  
 10.6 \*                      10.0 ↗                      10.2 \*                      10.1 ↘                      9.9 ←  
 9.7 ↖                      10.3 \*                      9.6 ←                      9.9 ↘                      10.3 \*  
 beste Teiler 94.4 (1.) 164.3 (10.) 164.9 (7.)  
 Trefferlage 0.18 mm links, 0.28 mm hoch  
 Streuwert 1.73, horizontal: 2.23, vertikal: 0.99



Serie 2:  
 9.9 ↑                      10.2 \*                      10.5 \*                      10.1 ↖                      10.1 ↘  
 10.6 \*                      10.6 \*                      10.4 \*                      10.1 ←                      10.2 \*  
 beste Teiler 87.0 (17.) 93.7 (16.) 116.0 (13.)  
 Trefferlage 0.11 mm links, 0.11 mm tief  
 Streuwert 1.34, horizontal: 1.45, vertikal: 1.23



Serie 3:  
 10.8 \*                      10.6 \*                      10.3 \*                      10.3 \*                      10.2 \*  
 10.5 \*                      10.7 \*                      10.8 \*                      10.3 \*                      10.5 \*  
 beste Teiler 33.5 (28.) 47.0 (21.) 59.8 (27.)  
 Trefferlage 0.42 mm links, 0.23 mm tief  
 Streuwert 0.87, horizontal: 1.11, vertikal: 0.54





Serie 4:  
 10.6 \*                      10.3 \*                      10.4 \*                      10.1 →                      9.8 ←  
 10.3 \*                      10.1 ↓                      10.1 ↖                      10.5 \*                      10.2 \*  
 beste Teiler 99.8 (31.) 110.5 (39.) 138.6 (33.)  
 Trefferlage 0.11 mm rechts, 0.28 mm hoch  
 Streuwert 1.39, horizontal: 1.61, vertikal: 1.13

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>386</b>	(405.0)
Serien:	98	96 96 96
Zähler:	26	14 0 0 0 0 0 0 0 0
Innenzehner:	19	
weiteste:	457 (6),	428 (12), 386 (32)
beste Teiler	9.8 (15.)	29.0 (2.) 35.4 (33.)
Trefferlage	0.01 mm links, 0.26 mm hoch	
Streuwert	1.68, horizontal: 1.70, vertikal: 1.66	




Serie 1:

10.7 *	10.8 *	10.0 ↗	10.7 *	10.5 *
9.1 →	10.7 *	10.3 *	9.5 ←	10.0 ↗
beste Teiler	29.0 (2.)	51.9 (4.)	53.8 (7.)	
Trefferlage	0.43 mm rechts, 0.29 mm hoch			
Streuwert	1.62, horizontal: 2.08, vertikal: 0.97			




Serie 2:

10.4 *	9.2 ↘	10.2 *	10.5 *	10.9 *
9.9 ↗	9.9 ↗	10.0 ↘	9.6 ↘	10.5 *
beste Teiler	9.8 (15.)	117.0 (14.)	121.2 (20.)	
Trefferlage	0.12 mm rechts, 1.08 mm hoch			
Streuwert	1.57, horizontal: 1.57, vertikal: 1.58			



Serie 3:

10.4 *	9.4 ↘	10.3 *	10.2 *	10.1 →
9.9 ←	9.7 ↓	10.3 *	9.6 ↓	10.0 →
beste Teiler	140.4 (21.)	164.7 (28.)	175.7 (23.)	
Trefferlage	0.04 mm rechts, 0.23 mm tief			
Streuwert	1.89, horizontal: 1.56, vertikal: 2.17			





Serie 4:

9.9 ↘	9.4 ↘	10.8 *	10.8 *	10.1 ←
10.1 →	9.9 ↗	10.4 *	9.7 ↓	10.6 *
beste Teiler	35.4 (33.)	44.1 (34.)	80.6 (40.)	
Trefferlage	0.64 mm links, 0.07 mm tief			
Streuwert	1.62, horizontal: 1.62, vertikal: 1.62			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398** (417.8)  
 Serien: 98 100 100 100  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 337 (7), 324 (5), 237 (35)  
 beste Teiler 34.1 (37.) 37.3 (25.) 44.1 (40.)  
 Trefferlage 0.33 mm rechts, 0.00 mm  
 Streuwert 1.02, horizontal: 1.07, vertikal: 0.97




Serie 1:  
 10.4 \* 10.4 \* 10.7 \* 10.7 \* 9.7 ↓  
 10.6 \* 9.6 ↘ 10.5 \* 10.2 \* 10.6 \*  
 beste Teiler 70.8 (3.) 74.7 (4.) 81.8 (6.)  
 Trefferlage 0.47 mm rechts, 0.85 mm tief  
 Streuwert 1.13, horizontal: 1.29, vertikal: 0.95



Serie 2:  
 10.1 ↘ 10.4 \* 10.4 \* 10.2 \* 10.7 \*  
 10.6 \* 10.5 \* 10.6 \* 10.6 \* 10.7 \*  
 beste Teiler 51.6 (20.) 67.0 (15.) 79.1 (19.)  
 Trefferlage 0.15 mm rechts, 0.12 mm tief  
 Streuwert 0.96, horizontal: 1.08, vertikal: 0.83





Serie 3:  
 10.2 \* 10.2 \* 10.7 \* 10.5 \* 10.8 \*  
 10.1 ↗ 10.6 \* 10.7 \* 10.4 \* 10.1 ↗  
 beste Teiler 37.3 (25.) 68.1 (23.) 71.5 (28.)  
 Trefferlage 0.72 mm rechts, 0.67 mm hoch  
 Streuwert 0.79, horizontal: 0.85, vertikal: 0.72




Serie 4:  
 10.6 \* 10.3 \* 10.5 \* 10.6 \* 10.0 ↘  
 10.7 \* 10.8 \* 10.6 \* 10.4 \* 10.8 \*  
 beste Teiler 34.1 (37.) 44.1 (40.) 72.8 (36.)  
 Trefferlage 0.00 mm , 0.31 mm hoch  
 Streuwert 0.88, horizontal: 1.01, vertikal: 0.73

Unterschrift des Schützen


Ergebnis: **388** (407.8)  
 Serien: 98 98 93 99  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 391 (30), 380 (14), 358 (3)  
 beste Teiler 40.7 (40.) 40.8 (38.) 44.9 (20.)  
 Trefferlage 0.41 mm links, 0.68 mm tief  
 Streuwert 1.43, horizontal: 1.27, vertikal: 1.58




Serie 1:  
 10.3 \*                      10.4 \*                      9.5 ↘                      10.5 \*                      10.7 \*  
 10.6 \*                      10.2 \*                      10.6 \*                      9.6 ↑                      10.6 \*  
 beste Teiler 70.0 (5.) 77.3 (6.) 90.0 (8.)  
 Trefferlage 0.39 mm rechts, 0.02 mm tief  
 Streuwert 1.39, horizontal: 0.95, vertikal: 1.72



Serie 2:  
 10.3 \*                      10.2 \*                      10.5 \*                      9.4 ↑                      10.2 \*  
 10.6 \*                      10.2 \*                      10.7 \*                      9.8 ↓                      10.8 \*  
 beste Teiler 44.9 (20.) 71.6 (18.) 94.3 (16.)  
 Trefferlage 0.39 mm links, 0.04 mm hoch  
 Streuwert 1.44, horizontal: 1.00, vertikal: 1.78



Serie 3:  
 10.1 ↓                      9.5 ↓                      9.9 ←                      10.4 \*                      9.8 ↙  
 9.6 ↓                      9.8 ↗                      10.5 \*                      9.6 ↓                      9.4 ←  
 beste Teiler 123.4 (28.) 126.3 (24.) 222.9 (21.)  
 Trefferlage 0.82 mm links, 1.82 mm tief  
 Streuwert 1.49, horizontal: 1.75, vertikal: 1.17





Serie 4:  
 10.1 ↗                      10.1 ↓                      10.1 ↙                      10.6 \*                      9.9 ←  
 10.1 ↙                      10.7 \*                      10.8 \*                      10.3 \*                      10.8 \*  
 beste Teiler 40.7 (40.) 40.8 (38.) 72.2 (37.)  
 Trefferlage 0.85 mm links, 0.94 mm tief  
 Streuwert 0.90, horizontal: 0.95, vertikal: 0.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (415.2)  
 Serien: 98 99 99 100  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 428 (1), 265 (16), 260 (25)  
 beste Teiler 3.0 (23.) 14.3 (31.) 28.8 (9.)  
 Trefferlage 0.12 mm rechts, 0.03 mm hoch  
 Streuwert 1.17, horizontal: 1.23, vertikal: 1.11




Serie 1:  
 9.2 ↘ 10.5 \* 10.2 \* 9.9 ↖ 10.5 \*  
 10.4 \* 10.4 \* 10.7 \* 10.8 \* 10.1 ↗  
 beste Teiler 28.8 (9.) 67.0 (8.) 106.2 (2.)  
 Trefferlage 0.17 mm rechts, 0.00 mm  
 Streuwert 1.47, horizontal: 1.63, vertikal: 1.29



Serie 2:  
 10.1 ← 10.7 \* 10.6 \* 10.0 ↓ 10.5 \*  
 9.9 ↘ 10.7 \* 10.2 \* 10.3 \* 10.7 \*  
 beste Teiler 60.8 (12.) 63.1 (20.) 65.6 (17.)  
 Trefferlage 0.06 mm rechts, 0.41 mm tief  
 Streuwert 1.15, horizontal: 1.01, vertikal: 1.27



Serie 3:  
 10.2 \* 10.3 \* 10.9 \* 10.7 \* 9.9 ↗  
 10.0 ↗ 10.1 ↑ 10.2 \* 10.7 \* 10.4 \*  
 beste Teiler 3.0 (23.) 51.0 (29.) 75.4 (24.)  
 Trefferlage 0.08 mm rechts, 0.67 mm hoch  
 Streuwert 1.19, horizontal: 1.32, vertikal: 1.04





Serie 4:  
 10.9 \* 10.6 \* 10.7 \* 10.3 \* 10.3 \*  
 10.4 \* 10.3 \* 10.7 \* 10.7 \* 10.5 \*  
 beste Teiler 14.3 (31.) 57.9 (39.) 58.2 (38.)  
 Trefferlage 0.18 mm rechts, 0.10 mm tief  
 Streuwert 0.83, horizontal: 1.05, vertikal: 0.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (406.2)  
 Serien: 97 100 96 97  
 Zähler: 31 8 1 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 515 (1), 493 (38), 350 (24)  
 beste Teiler 53.7 (36.) 59.9 (12.) 78.1 (13.)  
 Trefferlage 0.04 mm links, 0.10 mm tief  
 Streuwert 1.60, horizontal: 1.93, vertikal: 1.18




Serie 1:  
 8.9 ↘ 10.3 \* 10.0 ← 10.2 \* 10.1 ↖  
 10.5 \* 10.3 \* 10.6 \* 10.2 \* 9.9 ↙  
 beste Teiler 86.0 (8.) 123.4 (6.) 158.4 (7.)  
 Trefferlage 0.17 mm rechts, 0.56 mm tief  
 Streuwert 1.75, horizontal: 2.06, vertikal: 1.37



Serie 2:  
 10.6 \* 10.7 \* 10.6 \* 10.0 ↗ 10.3 \*  
 10.4 \* 10.1 ↑ 10.0 → 10.2 \* 10.4 \*  
 beste Teiler 59.9 (12.) 78.1 (13.) 90.3 (11.)  
 Trefferlage 0.12 mm links, 0.46 mm hoch  
 Streuwert 1.21, horizontal: 1.49, vertikal: 0.84



Serie 3:  
 10.2 \* 10.3 \* 9.8 ← 9.6 → 10.5 \*  
 10.0 → 9.9 ↗ 10.2 \* 10.5 \* 9.9 ↗  
 beste Teiler 123.5 (29.) 124.1 (25.) 161.7 (22.)  
 Trefferlage 0.67 mm rechts, 0.29 mm hoch  
 Streuwert 1.62, horizontal: 1.97, vertikal: 1.15





Serie 4:  
 9.9 ↙ 9.6 ← 10.4 \* 10.2 \* 10.0 ↘  
 10.7 \* 10.1 ↙ 9.0 ← 10.5 \* 10.6 \*  
 beste Teiler 53.7 (36.) 85.0 (40.) 108.1 (39.)  
 Trefferlage 0.89 mm links, 0.62 mm tief  
 Streuwert 1.64, horizontal: 2.08, vertikal: 1.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (404.3)  
 Serien: 96 93 98 98  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 515 (12), 459 (34), 367 (3)  
 beste Teiler 36.8 (21.) 43.2 (10.) 74.5 (17.)  
 Trefferlage 0.19 mm links, 0.28 mm hoch  
 Streuwert 1.69, horizontal: 1.95, vertikal: 1.37




Serie 1:  
 10.0 → 10.2 \* 9.5 ↖ 10.3 \* 9.7 ←  
 9.6 ↙ 10.5 \* 10.6 \* 9.8 ← 10.8 \*  
 beste Teiler 43.2 (10.) 96.1 (8.) 125.4 (7.)  
 Trefferlage 0.85 mm links, 0.04 mm tief  
 Streuwert 1.66, horizontal: 1.87, vertikal: 1.42



Serie 2:  
 9.9 ↖ 8.9 ↘ 10.0 ↘ 9.8 ↖ 9.6 ↘  
 9.9 ↙ 10.7 \* 10.1 ↖ 10.3 \* 9.9 →  
 beste Teiler 74.5 (17.) 151.1 (19.) 218.5 (18.)  
 Trefferlage 0.32 mm rechts, 0.06 mm hoch  
 Streuwert 2.08, horizontal: 2.41, vertikal: 1.69



Serie 3:  
 10.8 \* 10.4 \* 9.7 ↑ 10.0 ← 10.5 \*  
 9.9 → 10.2 \* 10.2 \* 10.4 \* 10.7 \*  
 beste Teiler 36.8 (21.) 75.2 (30.) 118.5 (25.)  
 Trefferlage 0.04 mm rechts, 0.36 mm hoch  
 Streuwert 1.40, horizontal: 1.52, vertikal: 1.26





Serie 4:  
 10.1 ↑ 10.5 \* 10.6 \* 9.1 → 9.5 ↖  
 10.0 ↑ 10.6 \* 10.5 \* 10.3 \* 10.2 \*  
 beste Teiler 79.1 (33.) 81.7 (37.) 105.9 (38.)  
 Trefferlage 0.31 mm links, 0.73 mm hoch  
 Streuwert 1.63, horizontal: 2.00, vertikal: 1.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (398.0)  
 Serien: 93 96 99 95  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 534 (6), 469 (1), 450 (20)  
 beste Teiler 21.4 (23.) 49.9 (16.) 57.8 (22.)  
 Trefferlage 0.63 mm rechts, 0.24 mm hoch  
 Streuwert 1.92, horizontal: 1.99, vertikal: 1.85




Serie 1:  
 9.1 ←                      9.5 ↓                      10.1 →                      10.2 \*                      9.2 ↘  
 8.8 ↘                      10.1 ↘                      10.2 \*                      9.4 →                      9.6 ↗  
 beste Teiler 181.2 (8.) 186.1 (4.) 206.1 (3.)  
 Trefferlage 1.29 mm rechts, 1.12 mm tief  
 Streuwert 2.27, horizontal: 2.41, vertikal: 2.12



Serie 2:  
 10.3 \*                      10.1 ↗                      10.1 ↖                      10.0 ↗                      9.7 ↑  
 10.8 \*                      9.5 ←                      9.7 ↑                      10.7 \*                      9.2 ↓  
 beste Teiler 49.9 (16.) 73.9 (19.) 173.8 (11.)  
 Trefferlage 0.01 mm rechts, 1.57 mm hoch  
 Streuwert 1.59, horizontal: 1.73, vertikal: 1.43



Serie 3:  
 10.3 \*                      10.7 \*                      10.9 \*                      9.5 ↘                      10.0 →  
 10.4 \*                      10.0 ↗                      10.5 \*                      10.0 ↘                      10.0 ↑  
 beste Teiler 21.4 (23.) 57.8 (22.) 105.3 (28.)  
 Trefferlage 0.95 mm rechts, 0.12 mm hoch  
 Streuwert 1.35, horizontal: 1.32, vertikal: 1.38



Serie 4:  
 9.3 →                      9.5 ←                      10.0 ↙                      10.0 →                      9.9 ↘  
 10.0 ↘                      9.7 ↗                      9.9 ↘                      10.5 \*                      10.6 \*  
 beste Teiler 78.1 (40.) 102.2 (39.) 229.0 (36.)  
 Trefferlage 0.27 mm rechts, 0.39 mm hoch  
 Streuwert 1.97, horizontal: 2.33, vertikal: 1.53

Unterschrift des Schützen

Meyton Elektronik